

What can go in your Hazardous Waste Mini?



Aerosols



**Bagged rags or granules
contaminated with oil or solvent**



Grease cartridges

**MUST NOT BE OVER
25kg
WEIGHT**



Bagged oil filters



Bulbs and small UV lamps

Liquids
(oil, screen wash,
aerosols)
**are up to
1 litre**



Empty oil containers



Paint tins



**Windscreen wash and
anti-freeze**



**Bagged or sealed empty
containers contaminated with oil**

The hazardous waste minis are tracked.
Hazardous waste minis are for use by CEMEX employees only.
Contractors must not dispose of their waste in CEMEX facilities.

The safest way to dispose of your hazardous waste.

Your Waste-Safe Mini helps you safely segregate and store up to 25kg* of mixed hazardous wastes and arrange a simple collection service from Biffa. We can then treat and dispose of your hazardous waste in the safest way for the environment.

(*restrictions apply to applicable wastes, see reverse for details.)

Why is hazardous waste compliance so important?

Hazardous waste is waste that may be harmful to human health, the environment or both. When dealing with hazardous waste you need to be sure you comply with the legal requirements of storage, transportation, treatment and disposal.

Your Waste-Safe Mini container and service help you meet all legal requirements as easily as possible.

How to arrange collection/exchange

Simply complete the inventory list on the reverse side and fax or scan/email back to us at the number below. We'll then arrange the collection and all you need to do is put a copy of the inventory list in the box ready and sign the Waste Transfer note when the driver arrives to exchange your Waste-Safe Mini container.

Please note:-

- ▶ We will assume you want your Waste-Safe Mini exchanging for an empty one unless you tell us otherwise.
- ▶ The Waste-Safe Mini containers should be exchanged once a year minimum to ensure compliance with storage of hazardous waste regulations.
- ▶ **IMPORTANT:** The Waste-Safe Mini is designed for the waste types listed on the reverse side, should you have additional wastes hazardous or otherwise, you'll need to let us know so that we can arrange a suitable collection service.

Delivering more

The benefits of your Waste-Safe Mini include:-

- ▶ Full compliance storage, transportation and throughout the processing, recycling and disposal of your hazardous wastes.
- ▶ Peace-of-mind that waste is treated in an appropriate manner, minimising the environmental impact and maximising recycling.
- ▶ Increases your ability to recycle more of your waste, improving your environmental performance and your 'green' credentials.
- ▶ Access to advice you can rely on from our trained and experienced hazardous waste specialist teams.



Hazardous



Biffa

To find out more about your Waste-Safe Services call 0121 505 1616, fax your form back to 0121 505 1727 or email technical.sales@biffa.co.uk

Waste-Safe Mini - inventory of contents

Customer

Address

Postcode

Tel

Contact name

Date / /

Box number

(where applicable)

Ensure this sheet is filled in showing the full contents of the hazardous waste box, prior to your scheduled collection date. The box can not be collected without this.

i Maximum box weight: **25kg/litres**
The box will be collected under the LQ exemption

No	Description	EWC	Max Container Size Allowable	Number Of Containers	Container Size (ltr/kg)	Total Qty (kg)	Components	Conc.	Physical Form	H Code
1	Rags/Granules Contaminated with Oil (Bagged)	15 02 02*					Mineral Oil Spillsorb	<5% Balance	SOL	H7
2	Alkaline Batteries	16 06 04					N/A		SOL	N/A
3	Flammable Adhesives	08 04 09*	(5ltr)				Hydrocarbon Solvents	20-60%	LIQ	H3A
4	Adhesives - EG Super Glue	08 04 10					N/A		LIQ	N/A
5	Bulbs and UV Lamps	20 01 21*					Mercury Metal Lead Compounds	<35mg/Tube <1g/Tube	SOL	H6
6	Paint Solvent Based	08 01 11*	(5ltr)				Hydrocarbon Solvents Pigments	20-60% <5%	LIQ	H3B H4
7	Paint Water Based	08 01 12					N/A		LIQ	N/A
8	Empty Containers Contaminated with Oil	15 01 10*					Mineral Oil Packaging	<5% Balance	SOL	H7
9	Rags Contaminated with Solvent (Bagged)	15 02 02*	(3kg)				Hydrocarbon Solvents Rags	<5% Balance	SOL	H3A H4
10	Aerosols	16 05 04*	(1ltr)				Hydrocarbon Propellents Hydrocarbon Solvents Mineral Oil	20-60% 20-60% 10-30%	MIX	H3A H4
11	WEEE - (Printed Circuit Boards, Kettles, Toasters)	20 01 36							SOL	N/A
12	Oil Filters	15 02 02					Mineral Oil Filters	<30% Balance	MIX	H7
13	Mineral Oil	13 02 05*					Mineral Oil	>99%	LIQ	H5 H7 H14